

Test Report

Report No.: JC-CPC220749

Applicant: HILIQ CO., LIMITED

Supplier: HILIQ

Name of Sample: Hi-Salt Clear 20% with PG

Date of Issuance: Sept. 08, 2022

Skyte Testing Services Guangdong Co., Ltd.



Report Date: Sept. 08, 2022

Applicant Name: HILIQ CO., LIMITED

Applicant Add.: Level 54, Hopewell centre, 183 Queen's Road East, Wanchai, Hong Kong, 000000

Test sample was submitted by the applicant, report on the submitted sample said to be:

Sample Name: Hi-Salt Clear 20% with PG

Supplier: HILIQ

Sample State: Liquid


Qty / Wt (KGS): 30 g

Sample Received Date: Sept. 02, 2022

Testing Period: Sept. 02, 2022 to Sept. 08, 2022

Tests Conducted: As requested by the applicant. See the following pages for details.

Signed for and on behalf of
Skyte Testing Services Guangdong Co., Ltd.



Vanessa Huang/Technical Director
CNAS Approved Signatory

Attention: Please note that every statement made in this report is only valid for the samples tested and reported herein. This report shall not be reproduced except in full, without the written approval of SKYTE. The sample's information was provided by the applicant, SKYTE has no responsibility for the truth of such information.

Skyte Testing Services Guangdong Co., Ltd.
Add.: 7/F, Bldg 1, Jia'an Hi-Tech Industrial Park, 1st Liuxian Road,
Block 67, Bao'an District, Shenzhen, P.R.C.

Website: www.skyte.com.cn
Email: service@skyte.com.cn
Postcode: 518101

Tel: (86-0755) 3323 9933
Fax: (86-0755) 2672 7113
Hot Line: 400-6898-200

Test Results

1. Nicotine

Test Item	Test Sample & Test Result (% w/w)	MDL (%, w/w)	Test Method	Test Instrument
	Hi-Salt Clear 20% with PG			
Nicotine Purity	9.11	0.001	C-F&C-1415-TP (In-house test method)	GC-FID

2. Tobacco Alkaloids

Test Items	Test Sample & Test Results (mg/kg)	MDL (mg/kg)	Test Methods	Test Instruments
	Hi-Salt Clear 20% with PG			
Nornicotine	N.D.	1.0	C-QT-1931-TP (In-house test method)	GC-MS
Myosmine	N.D.	1.0		
beta- Nicotyrine	N.D.	1.0		
Anabasine	N.D.	1.0		
Anatabine	N.D.	1.0		
Cotinine	N.D.	1.0		

Tested by: Liao Zhenmao, Su Weili,


Checked by: Huang Xiangwei

Remarks:

- (1) mg/kg = milligram per kilogram
- (2) %, w/w = percentage of weight by weight
- (3) MDL = method detection limit
- (4) N.D. = not detected, less than MDL
- (5) The test items of Nornicotine, Myosmine, beta- Nicotyrine, , Anabasine , Anatabine and Cotinine, were not accredited by CNAS.

Attention: Please note that every statement made in this report is only valid for the samples tested and reported herein. This report shall not be reproduced except in full, without the written approval of SKYTE. The sample's information was provided by the applicant, SKYTE has no responsibility for the truth of such information.

Sample Photo



JC-CPC220749

(End of report)

Attention: Please note that every statement made in this report is only valid for the samples tested and reported herein. This report shall not be reproduced except in full, without the written approval of SKYTE. The sample's information was provided by the applicant, SKYTE has no responsibility for the truth of such information.

Skyte Testing Services Guangdong Co., Ltd.
Add.: 7/F, Bldg 1, Jia'an Hi-Tech Industrial Park, 1st Liuxian Road,
Block 67, Bao'an District, Shenzhen, P.R.C.

Website: www.skyte.com.cn
Email: service@skyte.com.cn
Postcode: 518101

Tel: (86-0755) 3323 9933
Fax: (86-0755) 2672 7113
Hot Line: 400-6898-200